

RAN-1032

T. Y. B. Sc. SEM V (Microbiology) Examination

March / April - 2019

GE : Microbiology Laboratory Hazards & Precautions (New)

Time: 2 Hours]

[Total Marks: 50

સૂચના : / Instructions

નીચે દર્શાવેલ 🖝 નિશાનીવાળી વિગતો ઉત્તરવહી પર અવશ્ય લખવી. Fill up strictly the details of 🖝 signs on your answer book	
Name of the Examination:	
 T.Y.B. Sc. Microbiology (Sem V) 	
Name of the Subject :	
GE: Microbiology Laboratory Hazards & Precautions (New)	
Subject Code No.: 1 0 3 2	Student's Signature

- 1. Figures to the right indicate full marks of the question.
- 2. Draw neat and labeled diagrams whenever necessary.

Q.I Give specific answers.

- a) Enlist any four parameters that helps in microbiological risk assessment
- b) When do we need to use Biosafety cabinet (Give any two examples)
- c) How dispersal of infectious materials can be avoided (Specify with two examples)
- d) What should be the strategies for maintenance of health and safety of staff?
- e) Enlist the equipments (any four) that are required to deal with chemical spills
- f) Give any two examples of fire extinguishers with its specific use.

(12)

Q.2 Answer <u>any two</u> of the following.

- a) Explain the equipments that are considered as essential biosafety equipments.
- b) Discuss: Toxic effects of laboratory chemicals.
- c) Explain the check list of safety equipment designs that help to minimize the laboratory hazards

Q.3 Answer any two of the following.

- a) Describe how selection of a biological safety cabinet should be done by the type of protection needed. Explain Class II biological safety cabinet
- b) Enlist the various chemicals used in the laboratory and describe the necessary precautions to avoid hazards
- c) What are the sources of infections in laboratory? Explain how to eliminate them.

Q.4 Write short notes on any two of the following.

- a) Safety Precautions with blood and Body fluids
- b) Corrosive and Radioactive Chemicals as Hazardous chemicals
- c) Significance of Laboratory First Aid

RAN-1032]

(12)

(16)

(10)